

TOTO®
washlet® +
BROCHURE



washlet® +



SCAN CODE
PLAY VIDEO

Series of WASHLET-and-toilet sets.
New standard of comfort and cleanliness for daily life.



Nexus® WASHLET®+ S550e One-Piece Toilet

TOTO

WELCOME

TOTO CLEANOVATION

Clean gives peace of mind
Clean makes life beautiful
Clean feels refreshing
Clean is caring for people and the planet
Clean brings wellness to everyday life

TOTO innovation brings a new world of clean to life,
enriching every moment of every day.

TOTO

VISIT TOTO'S FIRST-EVER
VIRTUAL SHOWROOM



VIRTUALSHOWROOM.TOTOUSA.COM

TOTO

NX SUITE

TOTO CLEANWASH
CLEAN SYNERGY

THROWNET
KAWAII

FOREST AC
FOREST W



WALL KING

Life An

To create a culture of healthy living.

Through our founding, we pursued innovations in wellness and comfort.

Envision the future of society placed inside. TOTO is committed to delivering products that maximize functionality and life.

We embrace these challenges to create a future that surpasses expectations.

TOUR OUR VIRTUAL SHOWROOM

TOTO's experiential virtual showroom is filled with rich informational videos, dynamic booth sections, and 360-degree product demonstrations.





TOTO CLEANOVATION

Clean gives peace of mind

Clean makes life beautiful

Clean feels refreshing

Clean is caring for people and the planet

Clean brings wellness to everyday life

TOTO innovation brings a new world of clean to life,
enriching every moment of every day.



SCAN CODE
PLAY VIDEO



CONTENTS

ICONS

- 02** TOTO CLEANOVATION
- 06** Icon Guide

CHARTS & SPECS

- 10** WASHLET+ Comparison
- 12** WASHLET+ One-Piece Toilets
- 14** WASHLET+ Two-Piece Toilets
- 18** WASHLET+ Wall-Hung Toilets

TECHNOLOGIES

- 20** Clean Synergy
- 22** EWATER+
- 26** CEFIONTECT
- 28** TORNADO FLUSH
- 29** DYNAMAX TORNADO FLUSH
- 30** Cleansing Functions
- 32** How The Remote Control Works
- 36** WASHLET Technologies

ONE-PIECE TOILETS

- 41** Aimes[®] WASHLET+
- 42** Aquia[®] IV WASHLET+
- 43** Carolina[®] II WASHLET+
- 46** Carlyle[®] II WASHLET+
- 49** Legato[®] WASHLET+
- 53** Nexus[®] WASHLET+
- 54** Supreme[®] II WASHLET+
- 55** Ultramax[®] WASHLET+

TWO-PIECE TOILETS

- 58** Aquia IV[®] WASHLET+
- 59** Aquia IV WASHLET+ (*Universal Height*)
- 61** Aquia IV Arc[®] WASHLET+
- 63** Aquia IV Cube[®] WASHLET+
- 65** Connelly[®] WASHLET+
- 67** Drake[®] WASHLET+
- 69** Drake Transitional WASHLET+
- 70** Drake II WASHLET+
- 72** Nexus[®] WASHLET+
- 73** Vespini[®] II WASHLET+

WALL-HUNG TOILET

- 75** AP WASHLET+
- 75** EP WASHLET+
- 77** RP WASHLET+ RW
- 77** SP WASHLET+ SX
- 77** SP WASHLET+ SW
- 77** MH WASHLET+ D200



AQUIA IV WASHLET+ C5 TWO-PIECE TOILET;
SEE PAGE 65

ICON GUIDE

TOILET



1.0 GPF

1G toilets use the power of gravity to provide the most efficient flush in the industry.



WATER SAVING

Water efficient toilets designed with 1.28 gallons per flush or less.



DYNAMAX TORNADO FLUSH*

DYNAMAX indicates a high performance, high-efficiency, powerful flushing technology that uses only 1.28 or 0.9 GPF. It features 2.5" trapway and better line carry.



TORNADO FLUSH*

TORNADO FLUSH features a state-of-the-art, hole-free rim design that offers dual-nozzle bowl cleansing, creating a centrifugal rinsing action that cleans the bowl more efficiently.



CEFIONTECT*

CEFIONTECT glaze prevents visible and invisible waste from sticking to ceramic surfaces, leading to the use of less chemicals and water to clean.



UNIVERSAL HEIGHT

Universal Height indicates toilets that allow for a more comfortable position across a wide range of users.



SKIRTED DESIGN

The trapway is concealed by smooth porcelain, making the toilet easier to clean.

WASHLET

washlet® +

WASHLET and toilet system that is specially designed for a seamless installation.



TOTO
washlet

High-tech electronic bidet seat featuring adjustable warm water cleansing, heated seat, dryer, deodorizer and much more.



AIR-IN WONDER WAVE*

Air rich water droplets to produce a more comfortable washing sensation and deliver more thorough cleansing with less water consumption.



EWATER+*

After each flush, EWATER+* mists the wand and toilet bowl, reducing the need for harsh cleaning chemicals.



PREMIST*

PREMIST wets the surface of the toilet bowl, aiding in the removal of waste and resulting in a better clean.



AUTO FLUSH

No need to touch buttons or handles and never worry about someone forgetting to flush — it's automatic after each use.



AUTO OPEN / CLOSE LID

Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.

**DEODORIZER**

Highly effective deodorizing automatically takes place inside the toilet bowl both during and immediately after use, leaving no disturbing odors.

**HEATED SEAT**

The moment you approach the toilet, the seat begins rapidly warming to a comfortable temperature.

**WARM AIR DRYER**

Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer.

CODES & STANDARDS**ADA**

Product complies with Americans with Disabilities Act accessibility guidelines.

**WATERSENSE®**

Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less, faucets are 1.5 GPM, and showers are 2.0 GPM.

**CEC**

Meets California Energy Commission Requirements

CALGreen

Meets CalGreen Water Regulations for new construction and permitted remodel.

DESIGN AWARDS**GOOD DESIGN**

Hosted by the Chicago Athenaeum Museum of Architecture and Design and the European Centre for Architecture Art Design and Urban Studies in Ireland. A global environmental award that began in 2009 with the aim of reforming awareness through sustainable design.

washlet® +

**Series of WASHLET-and-toilet sets.
New standard of comfort and cleanliness for daily life.**

Designed for every home, WASHLET+ is the smart way to introduce the life-changing comfort and cleanliness of TOTO technology to your life. Each toilet-and-seat set is harmoniously designed with no protruding hose or cords. Various sets are available. Choose your WASHLET+ with the features that best match your home and sense of style.




THE NEW STANDARD OF COMFORT AND CLEANLINESS FOR DAILY LIFE.

Designed for every home, WASHLET®+ is the smart way to introduce the comfort and cleanliness of TOTO technology into your life. Each unit is harmoniously designed with a concealed connection — no visible hoses or cords — making the bathroom a most inviting space. A wide range of sets are available for you to discover.


HOW IT WORKS

WASHLET+ offers concealed supply connections for seamless installation.



CONCEALED
CONNECTION






VS.



CONVENTIONAL
CONNECTION

washlet® +

COMPARISON


		ELONGATED		D-SHAPE		SQUARE
		S550E	S500E	RW	RX	SW
		SW3056(A)T40 SW3054(A)T40	SW3046(A)T40 SW3044(A)T40	SW4547AT60	SW4047(A)T60	SW4597AT60
						
CLEANSE	COLOR: Cotton (#01).	#01	#01	#01	#01	#01
	CONCEALED SUPPLY CONNECTION	•	•	•	•	•
	REAR CLEANSE	•	•	•	•	•
	SOFT REAR CLEANSE	•	•	•	•	•
	FRONT CLEANSE	•	•	•	•	•
	WIDE FRONT CLEANSE	•	•			
	OSCILLATING CLEANSE	•	•	•	•	•
	PULSATING CLEANSE	•	•	•	•	•
	INSTANTANEOUS WATER HEATING	•	•	•	•	•
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
WAND POSITION ADJUSTMENT	•	•	•	•	•	
AIR	AIR PURIFIER (DEODORIZER)	•	•	•	•	•
	AIR DRYER	•	•	•		•
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS
SEAT	HEATED SEAT	•	•	•	•	•
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS
	SOFTCLOSE SEAT AND LID	•	•	•	•	•
SENSOR	SEAT SENSOR	•	•	•	•	•
	AUTOMATIC OPEN AND CLOSE LID	•	•	•	•	•
	AUTOMATIC FLUSH	•*	•*	•*	•*	•*
	NIGHT LIGHT	•	•	•	•	•
REMOTE CONTROL	REMOTE CONTROL	•	•	•	•	•
	REMOTE CONTROLLED SEAT	•		•		•
	REMOTE CONTROLLED FLUSH			•		•
HYGIENE	REMOVABLE LID	•	•	•		•
	EWATER+ [†] FOR BOWL	•	•	•	—	•
	EWATER+ FOR WAND	•	•	•	•	•
	PREMIST [†]	•	•	•	•	•
	WAND CLEANING MODE	•	•	•	•	•
	SELF-CLEANING WAND	•	•	•	•	•
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS
	AUTO ENERGY SAVER	•	•	•	•	•
RATED POWER USAGE		1288W	1287W	1275W	1274W	1282W
LENGTH OF POWER CORD		Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 2.95 ft	Maximum length 2.95 ft	Maximum length 2.95 ft
WAND FLOW RATE	REAR	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9 - 14.1 oz. / min.	9 - 14.1 oz. / min.	9 - 14.1 oz. / min.
	SOFT	10.8 - 14.5 oz. / min.	10.8 - 14.5 oz. / min.	9 - 14.1 oz. / min.	9 - 14.1 oz. / min.	9 - 14.1 oz. / min.
	FRONT	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	10.2 - 14.1 oz. / min.	10.2 - 14.1 oz. / min.	10.2 - 14.1 oz. / min.
	WATER TEMP	86°F - 104°F	86°F - 104°F	86°F - 104°F	95°F - 104°F	86°F - 104°F
DRYER	AIR TEMP	95°F - 140°F	95°F - 140°F	95°F - 140°F		95°F - 140°F
	AIR VOLUME	10.24 ft ³ / min.	10.24 ft ³ / min.	10.24 ft ³ / min.		10.24 ft ³ / min.
HEATED SEAT	SURFACE TEMP	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F
WATER SUPPLY PRESSURE		7 psi - 109 psi	7 psi - 109 psi	7.25 psi - 109 psi	7.25 psi - 109 psi	7.25 psi - 109 psi
WATER SUPPLY TEMPERATURE		33°F to 95°F	33°F to 95°F	32°F - 95°F	32°F - 95°F	32°F - 95°F
AMBIENT TEMPERATURE		33°F to 104°F	33°F to 104°F	32°F to 104°F	32°F to 104°F	32°F to 104°F
SIZE	ELONGATED	15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"D x 3-15/16"H			
	D-SHAPE			1.28 ft x D 1.9 ft x H 0.35 ft	1.27 ft x D 1.90 ft x H 0.48 ft	1.28 ft x D 1.9 ft x H 0.35 ft
	SQUARE					

•* When installed with a compatible tank

SQUARE	ELONGATED						D-SHAPE
SX	S350E	S300E	C5	C200	C2	C100	C200
SW4049(A)T60	SW584T20 ◆	SW574T20 ◆	SW3084T40	SW2044T20 ◆	SW3074T40	SW2034T20 ◆	SW2047T20 ◆
#01	#01	#01	#01	#01	#01	#01	#01
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS	3 SETTINGS	5 SETTINGS
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
3 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS	3 SETTINGS	5 SETTINGS
•	•	•	•	•	•	•	•
3 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS	3 SETTINGS	5 SETTINGS
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•*	•	•	•	•	•	•	•
•	•	•	•	•	SIDE PANEL	SIDE PANEL	•
•	•	•	•	•			
•	•	•	•	•			
•	•	•	•	•			
•	•	•	•	•			
•	•	•	•	•			
•	•	•	•	•			
•	•	•	•	•			
•	•	•	•	•			
•	•	•	•	•			
•	•	•	•	•			
•	•	•	•	•			
•	•	•	•	•			
•	•	•	•	•			
6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS	6, 9 HOURS		6, 9 HOURS		
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
1282W	835W	835W	403W	406W	403W	406W	406W
Maximum length 2.95 ft	Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 3.93 ft.	Maximum length 3.94 ft.	Maximum length 3.93 ft.	Maximum length 3.94 ft.	Maximum length 3.94 ft.
9 - 14.1 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
9 - 14.1 oz. / min.	10.8 - 14.5 oz. / min.	10.8 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
10.2 - 14.1 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.
95°F - 104°F	86°F - 104°F	86°F - 104°F	95°F - 104°F	95°F - 104°F	95°F - 104°F	95°F - 104°F	95°F - 104°F
	95°F - 140°F	95°F - 140°F	86°F - 140°F	86°F - 140°F	86°F - 140°F	86°F - 140°F	86°F - 140°F
	10.24 ft3 / min.	10.24 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.
82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F
7.25 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi
32°F - 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F
32°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F
	15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"D x 3-15/16"H	15-3/8"W x 20-7/8"D x 7-3/8"H	15-3/8"W x 20-7/8"D x 7-3/8"H	18-13/16"W x 20-7/8"D x 7-3/8"H	18-13/16"W x 20-7/8"D x 7-3/8"H	
							15-3/8"W x 20-7/8"D x 7-3/8"H
1.27 ft x D 1.90 ft x H 0.48 ft							





washlet® +

ONE-PIECE TOILETS

WASHLET (ELONGATED)		
S550E		S500E
SW3056AT40#01 SW3054AT40#01	SW3056AT40#01 SW3054AT40#01	SW3046AT40#01 SW3044AT40#01
AUTO FLUSH	—	AUTO FLUSH
		

WASHLET+ TOILETS	MODEL NUMBERS	AUTO FLUSH KIT #	PAGE #	KIT NUMBERS			
ONE-PIECE	AIMES*	CST626CEFGAT40#01	THU767*	41	MW6263056CEFGA#01	MW6263056CEFG#01	MW6263046CEFGA#01
	AQUIA IV*	CST646CUMFGAT40#01 ◆	THU765*	42	MW6463056CUMFGA#01	MW6463056CUMFG#01	MW6463046CUMFGA#01
		CST646CEMFGAT40#01 ◆	THU765*	42	MW6463056CEMFGA#01	MW6463056CEMFG#01	MW6463046CEMFGA#01
		NEW CST646CEMFGNAT40#01	THU765*	42	MW6463056CEMFGNA#01	MW6463056CEMFGN#01	MW6463046CEMFGNA#01
	CAROLINA* II	CST644CEFGT40#01	—	43	—	MW6443056CEFG#01	—
	CARLYLE* II	CST614CUFGAT40#01	THU766*	46	MW6143056CUFGA#01	MW6143056CUFG#01	MW6143046CUFGA#01
		CST614CEFGAT40#01	THU767*	46	MW6143056CEFGA#01	MW6143056CEFG#01	MW6143046CEFGA#01
		CST614CEFGT20#01 ◆	—	47	—	—	—
	LEGATO*	CST624CEFGAT40#01	THU767*	49	MW6243056CEFGA#01	MW6243056CEFG#01	MW6243046CEFGA#01
	NEXUS*	CST642CUFGAT40#01	THU766*	53	MW6423056CUFGA#01	MW6423056CUFG#01	MW6423046CUFGA#01
		CST642CEFGAT40#01	THU767*	53	MW6423056CEFGA#01	MW6423056CEFG#01	MW6423046CEFGA#01
	SUPREME* II	CST634CEFGT40#01	—	54	—	MW6343056CEFG#01	—
	ULTRAMAX II	CST604CUFGAT40#01	THU766*	55	MW6043056CUFGA#01	MW6043056CUFG#01	MW6043046CUFGA#01
		CST604CEFGAT40#01	THU767*	55	MW6043056CEFGA#01	MW6043056CEFG#01	MW6043046CEFGA#01
CST604CEFGT20#01 ◆		—	56	—	—	—	

*Required for Auto Flush models only.



WASHLET (ELONGATED)						
S500E	S350E	S300E	C5	C200	C2	C100
SW3046AT40#01 SW3044T40#01	SW584T20#01 ◆	SW574T20#01 ◆	SW3084T40#01	SW2044T20#01 ◆	SW3074T40#01	SW2034T20#01 ◆
—	—	—	—	—	—	—
						
KIT NUMBERS						
MW6263046CEFG#01	—	—	MW6263084CEFG#01	—	MW6263074CEFG#01	—
MW6463046CUMFG#01	—	—	MW6463084CUMFG#01	—	MW6463074CUMFG#01	—
MW6463046CEMFG#01	—	—	MW6463084CEMFG#01	—	MW6463074CEMFG#01	—
MW6463056CEMFGN#01	—	—	MW6463084CEMFGN#01	—	MW6463074CEMFGN#01	—
MW6443046CEFG#01	—	—	MW6443084CEFG#01	—	MW6443074CEFG#01	—
MW6143046CUFG#01	—	—	MW6143084CUFG#01	—	MW6143074CUFG#01	—
MW6143046CEFG#01	—	—	MW6143084CEFG#01	—	MW6143074CEFG#01	—
—	MW614584CEFG#01	MW614574CEFG#01	—	MW6142044CEFG#01	—	MW6142034CEFG#01
MW6243046CEFG#01	—	—	MW6243084CEFG#01	—	MW6243074CEFG#01	—
MW6423046CUFG#01	—	—	MW6423084CUFG#01	—	MW6423074CUFG#01	—
MW6423046CEFG#01	—	—	MW6423084CEFG#01	—	MW6423074CEFG#01	—
MW6343046CEFG#01	—	—	MW6343084CEFG#01	—	MW6343074CEFG#01	—
MW6043046CUFG#01	—	—	MW6043084CUFG#01	—	MW6043074CUFG#01	—
MW6043046CEFG#01	—	—	MW6043084CEFG#01	—	MW6043074CEFG#01	—
—	MW604584CEFG#01	MW604574CEFG#01	—	MW6042044CEFG#01	—	MW6042034CEFG#01

◆Limited inventory

*Required for Auto Flush models only.








washlet® +

TWO-PIECE TOILETS

WASHLET (ELONGATED)		
S550E	S550E	S500E
SW3056AT40#01 SW3054AT40#01	SW3056AT40#01 SW3054AT40#01	SW3046AT40#01 SW3044AT40#01
AUTO FLUSH	—	AUTO FLUSH
		

WASHLET+ TOILETS	MODEL NUMBERS		EXT. ADAPTER	AUTO FLUSH KIT #	PG #	KIT NUMBERS			
AQUIA® IV		CT446CUFGT40#01 ◆	ST446UMA#01	9AU321-A	THU765*	58	MW4463056CUMGA#01	MW4463056CUMFG#01	MW4463046CUMGA#01
		CT446CUFGT40#01 ◆	ST446EMA#01	9AU321-A		58	MW4463056CEMGA#01	MW4463056CEMFG#01	MW4463046CEMGA#01
		CT446CUGT40#01 ◆	ST446UMA#01	9AU321-A		59	MW4463056CUMFGA#01	MW4463056CUMG#01	MW4463046CUMFGA#01
		CT446CUGT40#01 ◆	ST446EMA#01	9AU321-A		59	MW4463056CEMFGA#01	MW4463056CEMG#01	MW4463046CEMFGA#01
	NEW	CT446CEFGNT40#01	ST446EMNA#01	9AU321-A		58	MW4463056CEMGNA#01	MW4463056CEMGN#01	MW4463046CEMGNA#01
		CT446CEGNT40#01	ST446EMNA#01	9AU321-A		59	MW4463056CEMFGNA#01	MW4463056CEMFGN#01	MW4463046CEMFGNA#01
AQUIA IV ARC®		CT446CUFGT40#01 ◆	ST448UMA#01	9AU321-A	THU765*	61	MW4483056CUMFGA#01	MW4483056CUMFG#01	MW4483046CUMFGA#01
		CT446CUFGT40#01 ◆	ST448EMA#01	9AU321-A		61	MW4483056CEMFGA#01	MW4483056CEMFG#01	MW4483046CEMFGA#01
	NEW	CT446CEFGNT40#01	ST448EMNA#01	9AU321-A		61	MW4483056CEMFGNA#01	MW4483056CEMFGN#01	MW4483046CEMFGNA#01
AQUIA IV CUBE®		CT446CUFGT40#01 ◆	ST436UMA#01	9AU321-A	THU765*	63	MW4363056CUMFGA#01	MW4363056CUMFG#01	MW4363046CUMFGA#01
		CT446CUFGT40#01 ◆	ST436UMA#01	9AU321-A		63	MW4363056CEMFGA#01	MW4363056CEMFG#01	MW4363046CEMFGA#01
	NEW	CT446CEFGNT40#01	ST436EMNA#01	9AU321-A		63	MW4363056CEMFGNA#01	MW4363056CEMFGN#01	MW4363046CEMFGNA#01
CONNELLY®		CT494CEFGT40#01	ST494M#01	9AU321-A	—	65	—	MW4943054CEMFG#01	—
DRAKE®		C776CEGT40#01	ST776EA#01	—	THU767*	67	MW7763056CEGA#01	MW7763056CEG#01	MW7763046CEGA#01
		CT746CUFGT40#01	ST776SMA#01			67	MW7763056CEFGA#01	MW7763056CEFG#01	MW7763046CEFGA#01
		CT746CUFGT40.10#01	ST776SMA#01			67	MW7763056CEFGA.10#01	MW7763056CEFG.10#01	MW7763046CEFGA.10#01
		C776CEGT40#01	ST776SA#01			67	MW7763056CSGA#01	MW7763056CSG#01	MW7763046CSGA#01
		C776CEFGT40#01	ST776SA#01			67	MW7763056CSFGA#01	MW7763056CSFG#01	MW7763046CSFGA#01
		C776CEFGT40.10#01	ST776SA#01			67	MW7763056CSFGA.10#01	MW7763056CSFG.10#01	MW7763046CSFGA.10#01

*Required for Auto Flush models only.




WASHLET (ELONGATED)						
S500E	S350E	S300E	C5	C200	C2	C100
SW3046AT40#01 SW3044T40#01	SW584T20#01 ◆	SW574T20#01 ◆	SW3084T40#01	SW2044T20#01 ◆	SW3074T40#01	SW2034T20#01 ◆
—	—	—	—	—	—	—
						
KIT NUMBERS						
MW4463046CUMG#01	—	—	MW4463084CUMG#01	—	MW4463074CUMG#01	—
MW4463046CEMG#01	—	—	MW4463084CEMG#01	—	MW4463074CEMG#01	—
MW4463046CUMFG#01	—	—	MW4463084CUMFG#01	—	MW4463074CUMFG#01	—
MW4463046CEMFG#01	—	—	MW4463084CEMFG#01	—	MW4463074CEMFG#01	—
MW4463046CEMGN#01	—	—	MW4463084CEMGN#01	—	MW4463074CEMGN#01	—
MW4463046CEMFGN#01	—	—	MW4463084CEMFGN#01	—	MW4463074CEMFGN#01	—
MW4483046CUMFG#01	—	—	MW4483084CUMFG#01	—	MW4483074CUMFG#01	—
MW4483046CEMFG#01	—	—	MW4483084CEMFG#01	—	MW4483074CEMFG#01	—
MW4483046CEMFGN#01	—	—	MW4483084CEMFGN#01	—	MW4483074CEMFGN#01	—
MW4363046CUMFG#01	—	—	MW4363084CUMFG#01	—	MW4363074CUMFG#01	—
MW4363046CEMFG#01	—	—	MW4363084CEMFG#01	—	MW4363074CEMFG#01	—
MW4363046CEMFGN#01	—	—	MW4363084CEMFGN#01	—	MW4363074CEMFGN#01	—
MW4943044CEMFG#01	—	—	MW4943084CEMFG#01	—	MW4943074CEMFG#01	—
MW7763046CEG#01	—	—	MW7763084CEG#01	—	MW7763074CEG#01	—
MW7763046CEFG#01	—	—	MW7763084CEFG#01	—	MW7763074CEFG#01	—
MW7763046CEFG.10#01	—	—	MW7763084CEFG.10#01	—	MW7763074CEFG.10#01	—
MW7763046CSG#01	—	—	MW7763084CSG#01	—	MW7763074CSG#01	—
MW7763046CSFG#01	—	—	MW7763084CSFG#01	—	MW7763074CSFG#01	—
MW7763046CSFG.10#01	—	—	MW7763084CSFG.10#01	—	MW7763074CSFG.10#01	—

◆ Limited inventory


*Required for Auto Flush models only.

washlet® +

TWO-PIECE TOILETS

WASHLET (ELONGATED)		
S550E	S550E	S500E
SW3056AT40#01 SW3054AT40#01	SW3056AT40#01 SW3054AT40#01	SW3046AT40#01 SW3044AT40#01
AUTO FLUSH	—	AUTO FLUSH
		

WASHLET+ TOILETS	MODEL NUMBERS		EXT. ADAPTER	AUTO FLUSH KIT #	PG #	KIT NUMBERS		
DRAKE TRANSITIONAL	C776CEFGT40#01	ST786EA#01	—	THU767*	69	MW7863056CEGA#01	MW7863056CEG#01	MW7863046CEGA#01
	C776CEFGT40#01	ST786EA#01	—		69	MW7863056CEFGA#01	MW7863056CEFG#01	MW7863046CEFGA#01
	C776CEFGT40.10	ST786EA#01	—		69	MW7863056CEFGA.10#01	MW7863056CEFG.10#01	MW7863046CEFGA.10#01
DRAKE II	C454CUFGT40#01	ST454UA#01	—	THU767*	70	MW4543056CUFGA#01	MW4543056CUFG#01	MW4543046CUFGA#01
	C454CUFGT40#01	ST454EA#01	—		70	MW4543056CEFGA#01	MW4543056CEFG#01	MW4543046CEFGA#01
	C454CUFGT20#01	ST453U#01	—	—	71	—	—	—
	C454CUFGT20#01	ST454E#01	—	—	71	—	—	—
NEXUS*	CT442CUFGT40#01	ST442UA#01	9AU321-A	THU766*	72	MW4423056CUFGA#01	MW4423056CUFG#01	MW4423046CUFGA#01
	CT442CUFGT40#01	ST442EA#01	9AU321-A	THU767*	72	MW4423056CEFGA#01	MW4423056CEFG#01	MW4423046CEFGA#01
VESPIN® II	CT474CUFGT40#01	ST454UA#01	—	THU766*	73	MW4743056CUFGA#01	MW4743056CUFG#01	MW4743046CUFGA#01
	CT474CUFGT40#01	ST454EA#01	—	THU767*	73	MW4743056CEFGA#01	MW4743056CEFG#01	MW4743046CEFGA#01

WASHLET (ELONGATED)						
S500E	S350E	S300E	C5	C200	C2	C100
SW3046AT40#01 SW3044T40#01	SW584T20#01 ◆	SW574T20#01 ◆	SW3084T40#01	SW2044T20#01 ◆	SW3074T40#01	SW2034T20#01◆
—	—	—	—	—	—	—
						
KIT NUMBERS						
MW7863056CEG#01	—	—	MW7863084CEG#01	—	MW7863074CEG#01	—
MW7863046CEFG#01	—	—	MW7863084CEFG#01	—	MW7863074CEFG#01	—
MW7863046CEFG.10#01	—	—	MW7863084CEFG.10#01	—	MW7863074CEFG.10#01	—
MW4543046CUFG#01	—	—	MW4543084CUFG#01	—	MW4543074CUFG#01	—
MW4543046CEFG#01	—	—	MW4543084CEFG#01	—	MW4543074CEFG#01	—
—	MW454584CUFG#01	MW454574CUFG#01	—	MW4542044CUFG#01	—	MW4542034CUFG#01
—	MW454584CEFG#01	MW454574CEFG#01	—	MW4542044CEFG#01	—	MW4542034CEFG#01
MW4423046CUFG#01	—	—	MW4423084CUFG#01	—	MW4423074CUFG#01	—
MW4423046CEFG#01	—	—	MW4423084CEFG#01	—	MW4423074CEFG#01	—
MW4743046CUFG#01	—	—	MW4743084CUFG#01	—	MW4743074CUFG#01	—
MW4743046CEFG#01	—	—	MW4743084CEFG#01	—	MW4743074CEFG#01	—

washlet® +




WALL-HUNG TOILETS

WASHLET			
ELONGATED			
S550E	S500E	C5	C2
SW3056AT40#01	SW3046AT40#01	SW3084T40#01	SW3074T40#01
AUTO FLUSH	AUTO FLUSH	—	—
			

WASHLET+ TOILETS	PAGE #	MODEL NUMBERS		WASHLET CONNECTION KIT	KIT NUMBERS			
AP	75	CT426CFGT40#01	WT173MA	THU794	CWT4263056CMFGA#MS	—	—	—
		CT426CFGT40#01	WT173M	THU805	—	CWT4263046CMFG#MS	CWT4263084CMFG#MS	CWT4263074CMFG#MS
EP	75	CT428CFGT40#01	WT173MA	THU794	CWT4283056CMFGA#MS	—	—	—
		CT428CFGT40#01	WT173M	THU805	—	CWT4283046CMFG#MS	CWT4283084CMFG#MS	CWT4283074CMFG#MS

WASHLET
D SHAPE
C200
SW2047T20#01 ◆


WASHLET+ TOILETS	PAGE #	MODEL NUMBERS		WASHLET CONNECTION KIT	KIT NUMBERS
MH	77	CT437FGT20#01	WT172M	—	CWT4372047MFG#MS

WASHLET		
D-SHAPE		
RW	RX	
SW4547AT60#01	SW4047AT60#01	SW4047T60#01
AUTO FLUSH	AUTO FLUSH	—
		

WASHLET+ TOILETS	PAGE #	MODEL NUMBERS		WASHLET CONNECTION KIT	KIT NUMBERS		
		RP	77		CT447CFGT60#01	WT173MA	—
CT447CFGT60#01	WT173M					CWT4474047CMFG#MS	

WASHLET		
SQUARE		
SW	SX	
SW4549AT60#01	SW4049AT60#01	SW4049T60#01
AUTO FLUSH	AUTO FLUSH	—
		

WASHLET+ TOILETS	PAGE #	MODEL NUMBERS		WASHLET CONNECTION KIT	KIT NUMBERS		
		SP	77		CT449CFGT60#01	WT173MA	—
CT449CFGT60#01	WT173M					CWT4474047CMFG#MS	



CLEAN SYNERGY

Technology & Design



CLEAN SYNERGY



EWATER+[®]
For BOWL

Prevents the accumulation of waste on bowl.

EWATER+ reduces waste and dirt you can't see.

EWATER+

WASHES THE WAND AND TOILET BOWL WHERE WASTE TENDS TO ACCUMULATE AND PRODUCE STAINS THAT CAN BECOME PERMANENT.

Using no chemicals or cleaning agents, EWATER+ provides peace of mind every day that microscopic waste has no place to hide.



How EWATER+ Cleans

During standby



EWATER+ is automatically sprayed 8 hours after the last use

Before use



EWATER+ is applied to cleanse the wand and toilet bowl



During use



Since waste is less able to adhere to a wet surface, it is more easily washed away



After use



PREMIST*, a fine mist of water, is sprayed inside the toilet

CLEAN SYNERGY



EWATER+[®]
For WAND

Prevents the accumulation of waste on wand.

The wand washes itself inside and out with EWATER+ to maintain hygienic conditions.



EWATER+

BEFORE AND AFTER EACH USE, THE WAND AUTOMATICALLY WASHES ITSELF WITH EWATER+.

This thorough cleaning occurs inside the wand as well as all around the exterior. Even when the toilet is not being used, the wand periodically cleans itself to ensure constant hygienic conditions.



Without EWATER+



With EWATER+

Self-Cleaning Inside the Wand



During standby



Self-cleans with water

Before use



Self-cleans with water



During use



Self-cleans inside and out with EWATER+




After use



Self-cleans inside with EWATER+

Always Keeping Conditions Clean

Made of high-quality, waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you will appreciate how easily you can reach it and wipe it spotless.



CLEAN SYNERGY



CEFIONTECT®

Forces waste to slide down.
Ultra-smooth ceramic leaves
nowhere for waste to cling.

CLEAN SYNERGY




PREMIST®

Prevents waste from clinging.
A film of water keeps waste
from clinging.

CEFIONTECT® IS AN ULTRA-SMOOTH CERAMIC GLAZE THAT COATS THE TOILET BOWL.

Its microscopic surface ridges are far smaller than waste particles, leaving no place for waste to gain a foothold. Extremely durable, CEFIONTECT is designed for enduring beauty and cleanliness.




Eliminating the microscopic gaps where waste hides

Conventional ceramic may appear perfectly smooth to the eyes, but has gaps where waste, mold and bacteria hide. At just one millionth of a millimeter, CEFIONTECTS's surface ridges are much tinier than waste particles.

What makes CEFIONTECT so durable?


Glass layers are burned onto conventional glaze, making CEFIONTECT an extremely durable material.



CEFIONTECT toilet micrograph *1Qm=0.001mm

Water has a strong affinity to CEFIONTECT

Hydrophilic describes organisms and materials that attract water. CEFIONTECT is hydrophilic. Water spreads easily over the toilet bowl, so waste particles easily wash away.



Water hydrophobic

Water hydrophilic



To ensure waste washes away easily, a film of water keeps waste from clinging to the toilet bowl.

PREMIST automatically sprays water over the surface of the inner toilet bowl before every use. Due to the ceramic's hydrophilic nature, waste washes away more easily.



CLEAN SYNERGY



**TORNADO
FLUSH®**

Swirls and eliminates waste entirely.

360° cleaning power reaches every spot using less water.

DYNAMAX TORNADO FLUSH® USES 100% OF WATER TO CLEAN AND RINSE BOWL



DYNAMAX combines powerful bowl cleaning and waste evacuation using water that is 100% projected from the rim creating 360° cleaning power. Using only 1.28/0.9 gallons per flush, coupled with a 25% larger trapway diameter, this high-efficiency system uses 20% less water with improved performance. With a modern rimless design, it performs more consistently and is easy to clean.

TORNADO FLUSH® NOT ONLY CLEANS MORE EFFECTIVELY, IT DOES SO QUIETLY USING LESS WATER.

Powerful streams of water merge and swirl 360 degrees, washing every spot inside the RIMLESS toilet bowl.




Powerful washing where waste accumulates most easily

TORNADO FLUSH's dynamic waterjet discharges from near the front of the toilet bowl, travels in a narrow channel along a hairpin curve, and with sustained water pressure thoroughly cleanses the areas where waste accumulates most easily - and then washes the entire bowl clean. Exquisitely high-quality ceramic makes this innovative design possible.



The RIMLESS design not only leaves no place for waste and germs to hide. It also makes for a much easier to clean toilet.





REAR SPRAY

REAR SOFT SPRAY

FRONT SPRAY

WIDE FRONT SPRAY

CLEANSING FUNCTIONS



▶ SCAN CODE
PLAY VIDEO


CLEANSING FUNCTIONS

WITH THE TOUCH OF A BUTTON, A WAND EXTENDS FROM UNDER THE SEAT FOR SOOTHING WARM-WATER CLEANSING.

How WASHLET® works



AIR-IN WONDER-WAVE® technology is the precise, pleasant, air rich stream that keeps you clean. As water is fired at different speeds, small droplets collide with larger ones, combining and expanding as the droplets fill with more air. The injection of air enlarges water droplets around 30%.



Select the type of cleansing you desire each time.



REAR SPRAY

The rear spray is designed to clean the rear intimate area. It features pleasant, yet strong water pressure to target this specific area.



REAR SOFT SPRAY

It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.



FRONT SPRAY

The front wash consists of large, soft drops for comfortable intimate cleansing – for a clean, fresh feeling.




WIDE FRONT SPRAY

It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.

HOW THE REMOTE CONTROL WORKS


Easy and Convenient to Use.

WASHLET® S550e & S500e models



Interface of the remote control is subject to change.
Bracket available for wall-mounting.

WASHLET® S350e, S300e & C200 models




S350e only

*FRONT WIDE ON/OFF function only available on S350e/S300e

HOW THE REMOTE CONTROL WORKS

Easy and Convenient to Use.

WASHLET® C5 model



Back side of remote contains temperature controls

WASHLET C2 model

STOP	REAR	SOFT REAR	FRONT	DRYER				
Stops washing or drying	Pleasant, concentrated spray	Wider spray with lower pressure	Comfortable intimate cleansing	Blows warm air to aid drying				

PRESSURE	POSITION	PULSATE
Adjusts the water pressure for ideal comfort	Adjusts the position of the wand forwards or backwards	Water pressure alternates between soft and strong for a massage effect

TOTO : WASHLET

TECHNOLOGIES



AUTOMATED CLEANLINESS AND COMFORT

WASHLET® is complete with functions designed for both comfort and hygiene, turning a mundane trip to the bathroom into a hygienic, spa-like experience.





AUTO OPEN / CLOSE LID



SCAN CODE
PLAY VIDEO

Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.

**S550e and S350e only*



PREMIST®



SCAN CODE
PLAY VIDEO

Using the incoming water supply, PREMIST wets the surface of the toilet bowl, aiding in the removal of waste and resulting in a better clean.

**Not available on A100*



EWATER+[®] FOR WAND



SCAN CODE
PLAY VIDEO

The wand washes itself inside and out with EWATER+
to maintain hygienic conditions.




EWATER+ FOR BOWL



SCAN CODE
PLAY VIDEO

Prevents the accumulation of waste on bowl.
EWATER+ reduces waste and dirt you can't see.



HEATED SEAT



SCAN CODE
PLAY VIDEO

The moment you approach the toilet, the seat begins rapidly warming to a comfortable temperature.



WARM AIR DRYING



SCAN CODE
PLAY VIDEO

Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer.



DEODORIZER



SCAN CODE
PLAY VIDEO

Highly effective deodorizing automatically takes place inside the toilet bowl both during and immediately after use, leaving no disturbing odors.

**Not available on A100*



AUTO FLUSH



SCAN CODE
PLAY VIDEO

No need to touch buttons or handles and never worry about someone forgetting to flush – it's automatic after each use.



AIMES® WASHLET+ S550e ONE-PIECE TOILET;
MW6263056CEFGA

WASHLET®+ ONE-PIECE TOILETS

AIMES® WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW6263056CEFG(A)#01 - 1.28 GPF

AIMES WASHLET+ with S550e



MW6263046CEFG(A)#01 - 1.28 GPF

AIMES WASHLET+ with S500e



MW6263084CEFG#01 - 1.28 GPF

AIMES WASHLET+ with C5



MW6263074CEFG#01 - 1.28 GPF

AIMES WASHLET+ with C2



WASHLET®+ ONE-PIECE TOILETS

AQUIA® IV WASHLET+



*(A) indicates toilet is auto flush compatible.

◆ *Limited inventory*

COMPATIBLE OPTIONS

- ◆ MW6463056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW6463056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF
 - NEW** MW6463056CEMFGN(A)#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV WASHLET+ with S550e
-



- ◆ MW6463046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW6463046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF
 - NEW** MW6463046CEMFGN(A)#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV WASHLET+ with S500e
-



- ◆ MW6463084CUMFG#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW6463084CEMFG#01 - 1.28 GPF / 0.8 GPF
 - NEW** MW6463084CEMFGN#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV WASHLET+ with C5
-



- ◆ MW6463074CUMFG#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW6463074CEMFG#01 - 1.28 GPF / 0.8 GPF
 - NEW** MW6463074CEMFGN#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV WASHLET+ with C2
-



WASHLET®+ ONE-PIECE TOILETS

CAROLINA® II WASHLET+



COMPATIBLE OPTIONS

MW6443056CEFG#01 - 1.28 GPF
CAROLINA II WASHLET+ with S550e



MW6443046CEFG#01 - 1.28 GPF
CAROLINA II WASHLET+ with S500e



MW6443084CEFG#01 - 1.28 GPF
CAROLINA II WASHLET+ with C5



MW6443074CEFG#01 - 1.28 GPF
CAROLINA II WASHLET+ with C2



CARLYLE II®

WASHLET+ ONE-PIECE TOILET

SCAN CODE
TO EXPERIENCE
VIRTUAL SUITE



SCAN CODE TO
PLAY VIDEO





WASHLET®+ ONE-PIECE TOILETS

CARLYLE® II WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW6143056CUFG(A)#01 - 1.0 GPF
MW6143056CEFG(A)#01 - 1.28 GPF
CARLYLE II WASHLET+ with S550e



MW6143046CUFG(A)#01 - 1.0 GPF
MW6143046CEFG(A)#01 - 1.28 GPF
CARLYLE II WASHLET+ with S500e



MW6143084CUFG#01 - 1.0 GPF
MW6143084CEFG#01 - 1.28 GPF
CARLYLE II WASHLET+ with C5



MW6143074CUFG#01 - 1.0 GPF
MW6143074CEFG#01 - 1.28 GPF
CARLYLE II WASHLET+ with C2



WASHLET®+ ONE-PIECE TOILETS

CARLYLE® II WASHLET+



◆ Limited inventory

COMPATIBLE OPTIONS

- ◆ MW614584CUFG#01 - 1.0 GPF
- ◆ MW614584CEFG#01 - 1.28 GPF



- ◆ MW614574CUFG#01 - 1.0 GPF
- ◆ MW614574CEFG#01 - 1.28 GPF



- ◆ MW6142044CUFG#01 - 1.0 GPF
- ◆ MW6142044CEFG#01 - 1.28 GPF



- ◆ MW6142034CUFG#01 - 1.0 GPF
- ◆ MW6142034CEFG#01 - 1.28 GPF





LEGATO® WASHLET+ S550e ONE-PIECE TOILET;
MW6243056CEFGA

WASHLET®+ ONE-PIECE TOILETS

LEGATO® WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW6243056CEFG(A)#01 - 1.28 GPF
LEGATO WASHLET+ with S550e



MW6243046CEFG(A)#01 - 1.28 GPF
LEGATO WASHLET+ with S500e



MW6243084CEFG#01 - 1.28 GPF
LEGATO WASHLET+ with C5




MW6243074CEFG#01 - 1.28 GPF
LEGATO WASHLET+ with C2



NEXUS[®]

WASHLET+ ONE-PIECE TOILET





SCAN CODE
TO EXPERIENCE
VIRTUAL SUITE



SCAN CODE TO
PLAY VIDEO





NEXUS® WASHLET®+ S550e ONE-PIECE TOILET;
MW6423056CUFGA



WASHLET®+ ONE-PIECE TOILETS

NEXUS® WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW6423056CUFG(A)#01 - 1.0 GPF
 MW6423056CEFG(A)#01 - 1.28 GPF
 NEXUS WASHLET+ with S550e



MW6423046CUFG(A)#01 - 1.0 GPF
 MW6423046CEFG(A)#01 - 1.28 GPF
 NEXUS WASHLET+ with S500e



MW6423084CUFG#01 - 1.0 GPF
 MW6423084CEFG#01 - 1.28 GPF
 NEXUS WASHLET+ with C5



MW6423074CUFG#01 - 1.0 GPF
 MW6423074CEFG#01 - 1.28 GPF
 NEXUS WASHLET+ with C2



WASHLET®+ ONE-PIECE TOILETS

SUPREME® II WASHLET+



COMPATIBLE OPTIONS

MW6343056CEFG#01 - 1.28 GPF
SUPREME II WASHLET+ with S550e



MW6343046CEFG#01 - 1.28 GPF
SUPREME II WASHLET+ with S500e



MW6343084CEFG#01 - 1.28 GPF
SUPREME II WASHLET+ with C5



MW6343074CEFG#01 - 1.28 GPF
SUPREME II WASHLET+ with C2



WASHLET®+ ONE-PIECE TOILETS

ULTRAMAX® II WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW6043056CUFG(A)#01 - 1.0 GPF
 MW6043056CEFG(A)#01 - 1.28 GPF
 ULTRAMAX II WASHLET+ with S550e



MW6043046CUFG(A)#01 - 1.0 GPF
 MW6043046CEFG(A)#01 - 1.28 GPF
 ULTRAMAX II WASHLET+ with S500e



MW6043084CUFG#01 - 1.0 GPF
 MW6043084CEFG#01 - 1.28 GPF
 ULTRAMAX II WASHLET+ with C5



MW6043074CUFG#01 - 1.0 GPF
 MW6043074CEFG#01 - 1.28 GPF
 ULTRAMAX II WASHLET+ with C2



WASHLET®+ ONE-PIECE TOILETS

ULTRAMAX® II WASHLET+



◆ *Limited inventory*

COMPATIBLE OPTIONS

- ◆ MW604584CUFG#01 - 1.0 GPF
 - ◆ MW604584CEFG#01 - 1.28 GPF
- ULTRAMAX II WASHLET+ with S350e



- ◆ MW604574CUFG#01 - 1.0 GPF
 - ◆ MW604574CEFG#01 - 1.28 GPF
- ULTRAMAX II WASHLET+ with S300e



- ◆ MW6042044CUFG#01 - 1.0 GPF
 - ◆ MW6042044CEFG#01 - 1.28 GPF
- ULTRAMAX II WASHLET+ with C200



- ◆ MW6042034CUFG#01 - 1.0 GPF
 - ◆ MW6042034CEFG#01 - 1.28 GPF
- ULTRAMAX II WASHLET+ with C100





AQUIA™ IV WASHLET™+ S550e TWO-PIECE TOILET;
MW4463056CEMGNA#01
SEE PAGE 58

WASHLET®+ TWO-PIECE TOILETS

AQUIA® IV WASHLET+



*(A) indicates toilet is auto flush compatible.

◆ *Limited inventory*

COMPATIBLE OPTIONS

- ◆ MW4463056CUMG(A)#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW4463056CEMG(A)#01 - 1.28 GPF / 0.8 GPF
 - NEW** ◆ MW4463056CEMGN(A)#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV WASHLET+ with S550e
-



- ◆ MW4463046CUMG(A)#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW4463046CEMG(A)#01 - 1.28 GPF / 0.8 GPF
 - NEW** ◆ MW4463046CEMGN(A)#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV WASHLET+ with S500e
-



- ◆ MW4463084CUMG#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW4463084CEMG#01 - 1.28 GPF / 0.8 GPF
 - NEW** ◆ MW4463084CEMGN#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV WASHLET+ with C5
-



- ◆ MW4463074CUMG#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW4463074CEMG#01 - 1.28 GPF / 0.8 GPF
 - NEW** ◆ MW4463074CEMGN#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV WASHLET+ with C2
-



WASHLET®+ TWO-PIECE TOILETS

AQUIA® IV WASHLET+ (Universal Height)



COMPATIBLE OPTIONS



NEW

- ◆ MW4463056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW4463056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF
 - ◆ MW4463056CEMFGN(A)#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV WASHLET+ with S550e



NEW

- ◆ MW4463046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW4463046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF
 - ◆ MW4463046CEMFGN(A)#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV WASHLET+ with S500e



NEW

- ◆ MW4463084CUMFG#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW4463084CEMFG#01 - 1.28 GPF / 0.8 GPF
 - ◆ MW4463084CEMFGN#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV WASHLET+ with C5



NEW

- ◆ MW4463074CUMFG#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW4463074CEMFG#01 - 1.28 GPF / 0.8 GPF
 - ◆ MW4463074CEMFGN#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV WASHLET+ with C2



*(A) indicates toilet is auto flush compatible.

◆ Limited inventory



AQUA IV® ARC WASHLET+ C2
TWO-PIECE TOILET

WASHLET®+ TWO-PIECE TOILETS

AQUIA IV ARC® WASHLET+ (Universal Height)



COMPATIBLE OPTIONS

◆ MW4483056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF

◆ MW4483056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF

NEW MW4483056CEMFGN(A)#01 - 1.28 GPF / 0.9 GPF

AQUIA IV ARC WASHLET+ with S550e



◆ MW4483046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF

◆ MW4483046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF

NEW MW4483046CEMFGN(A)#01 - 1.28 GPF / 0.9 GPF

AQUIA IV ARC WASHLET+ with S500e



◆ MW4483084CUMFG#01 - 1.0 GPF / 0.8 GPF

◆ MW4483084CEMFG#01 - 1.28 GPF / 0.8 GPF

NEW MW4483084CEMFGN#01 - 1.28 GPF / 0.9 GPF

AQUIA IV ARC WASHLET+ with C5



◆ MW4483074CUMFG#01 - 1.0 GPF / 0.8 GPF

◆ MW4483074CEMFG#01 - 1.28 GPF / 0.8 GPF

NEW MW4483074CEMFGN#01 - 1.28 GPF / 0.9 GPF

AQUIA IV ARC WASHLET+ with C2



*(A) indicates toilet is auto flush compatible.

◆ Limited inventory



AQUA IV® CUBE WASHLET+ C5
TWO-PIECE TOILET

WASHLET®+ TWO-PIECE TOILETS

AQUIA IV CUBE® WASHLET+ (Universal Height)



*(A) indicates toilet is auto flush compatible.

◆ Limited inventory

COMPATIBLE OPTIONS

- ◆ MW4363056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW4363056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF
 - NEW** MW4363056CEMFGN(A)#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV CUBE WASHLET+ with S550e
-



- ◆ MW4363046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW4363046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF
 - NEW** MW4363046CEMFGN(A)#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV CUBE WASHLET+ with S500e
-



- ◆ MW4363084CUMFG#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW4363084CEMFG#01 - 1.28 GPF / 0.8 GPF
 - NEW** MW4363084CEMFGN#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV CUBE WASHLET+ with C5
-



- ◆ MW4363074CUMFG#01 - 1.0 GPF / 0.8 GPF
 - ◆ MW4363074CEMFG#01 - 1.28 GPF / 0.8 GPF
 - NEW** MW4363074CEMFGN#01 - 1.28 GPF / 0.9 GPF
- AQUIA IV CUBE WASHLET+ with C2
-





CONNELLY® WASHLET+ S500e
TWO-PIECE TOILET

WASHLET®+ TWO-PIECE TOILETS

CONNELLY® WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW4943054CEMFG(A)#01 - 1.28 GPF / 0.9 GPF
CONNELLY WASHLET+ with S550e



MW4943044CEMFG(A)#01 - 1.28 GPF / 0.9 GPF
CONNELLY WASHLET+ with S500e



MW4943084CEMFG#01 - 1.28 GPF / 0.9 GPF
CONNELLY WASHLET+ with C5



MW4943074CEMFG#01 - 1.28 GPF / 0.9 GPF
CONNELLY WASHLET+ with C2



DRAKE®

WASHLET+ TWO-PIECE TOILET



SCAN CODE
TO EXPERIENCE
VIRTUAL SUITE



SCAN CODE TO
PLAY VIDEO



WASHLET®+ TWO-PIECE TOILETS

DRAKE® WASHLET+ (Regular & Universal Height)



*(A) indicates toilet is auto flush compatible.
Available in 10" Rough-in

COMPATIBLE OPTIONS

MW7763056CE(F)G(A)#01 - 1.28 GPF

MW7763056CS(F)G(A)#01 - 1.6 GPF

DRAKE WASHLET+ with S550e



MW7763046CE(F)G(A)#01 - 1.28 GPF

MW7763046CS(F)G(A)#01 - 1.6 GPF

DRAKE WASHLET+ with S500e



MW7763084CE(F)G#01 - 1.28 GPF

MW7763084CS(F)G#01 - 1.6 GPF

DRAKE WASHLET+ with C5



MW7763074CE(F)G#01 - 1.28 GPF

MW7763074CS(F)G#01 - 1.6 GPF

DRAKE WASHLET+ with C2





DRAKE™ TRANSITIONAL WASHLET+ C5
TWO-PIECE TOILET

WASHLET®+ TWO-PIECE TOILETS

DRAKE® TRANSITIONAL WASHLET+ *(Regular & Universal Height)*



*(A) indicates toilet is auto flush compatible.
Available in 10" Rough-in

COMPATIBLE OPTIONS

MW7863056CEM(F)G(A)#01 - 1.28 GPF

DRAKE TRANSITIONAL WASHLET+ with S550e



MW7863046CEM(F)G(A)#01 - 1.28 GPF

DRAKE TRANSITIONAL WASHLET+ with S500e



MW7863084CEM(F)G#01 - 1.28 GPF

DRAKE TRANSITIONAL WASHLET+ with C5



MW7863074CEM(F)G#01 - 1.28 GPF

DRAKE TRANSITIONAL WASHLET+ with C2



WASHLET®+ TWO-PIECE TOILETS

DRAKE® II WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW4543056CUFG(A)#01 - 1.0 GPF
MW4543056CEFG(A)#01 - 1.28 GPF
DRAKE II WASHLET+ with S550e



MW4543046CUFG(A)#01 - 1.0 GPF
MW4543046CEFG(A)#01 - 1.28 GPF
DRAKE II WASHLET+ with S500e



MW4543084CUFG#01 - 1.0 GPF
MW4543084CEFG#01 - 1.28 GPF
DRAKE II WASHLET+ with C5



MW4543074CUFG#01 - 1.0 GPF
MW4543074CEFG#01 - 1.28 GPF
DRAKE II WASHLET+ with C2



WASHLET®+ TWO-PIECE TOILETS

DRAKE® II WASHLET+



◆ Limited inventory

COMPATIBLE OPTIONS

- ◆ MW454584CUFG#01 - 1.0 GPF
 - ◆ MW454584CEFG#01 - 1.28 GPF
- DRAKE II WASHLET+ with S350e



- ◆ MW454574CUFG#01 - 1.0 GPF
 - ◆ MW454574CEFG#01 - 1.28 GPF
- DRAKE II WASHLET+ with S300e



- ◆ MW4542044CUFG#01 - 1.0 GPF
 - ◆ MW4542044CEFG#01 - 1.28 GPF
- DRAKE II WASHLET+ with C200



- ◆ MW4542034CUFG#01 - 1.0 GPF
 - ◆ MW4542034CEFG#01 - 1.28 GPF
- DRAKE II WASHLET+ with C100



WASHLET®+ TWO-PIECE TOILETS

NEXUS® WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW4423056CUMG(A)#01 - 1.0 GPF
MW4423056CEMG(A)#01 - 1.28 GPF
NEXUS WASHLET+ with S550e



MW4423046CUMG(A)#01 - 1.0 GPF
MW4423046CEMG(A)#01 - 1.28 GPF
NEXUS WASHLET+ with S500e



MW4423084CUFG#01 - 1.0 GPF
MW4423084CEFG#01 - 1.28 GPF
NEXUS WASHLET+ with C5



MW4423074CUFG#01 - 1.0 GPF
MW4423074CEFG#01 - 1.28 GPF
NEXUS WASHLET+ with C2



WASHLET®+ TWO-PIECE TOILETS

VESPIN® II WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW4743056CUFG(A)#01 - 1.0 GPF
 MW4743056CEFG(A)#01 - 1.28 GPF
 VESPIN II WASHLET+ with S550e



MW4743046CUFG(A)#01 - 1.0 GPF
 MW4743046CEFG(A)#01 - 1.28 GPF
 VESPIN II WASHLET+ with S500e



MW4743084CUFG#01 - 1.0 GPF
 MW4743084CEFG#01 - 1.28 GPF
 VESPIN II WASHLET+ with C5



MW4743074CUFG#01 - 1.0 GPF
 MW4743074CEFG#01 - 1.28 GPF
 VESPIN II WASHLET+ with C2





AP WASHLET+ C2
WALL-HUNG TOILET

WASHLET®+ WALL-HUNG TOILETS

AP WASHLET+



CWT4263056CMFGA#MS

1.28 GPF / 0.9 GPF

AP WASHLET+ with S550e



CWT4263046CMFG#MS

1.28 GPF / 0.9 GPF

AP WASHLET+ with S500e



CWT4263084CMFG#MS

1.28 GPF / 0.9 GPF

AP WASHLET+ with C5



CWT4263074CMFG#MS

1.28 GPF / 0.9 GPF

AP WASHLET+ with C2



*Requires In-Wall Tank System and Push Plate

EP WASHLET+



CWT4283056CMFGA#MS

1.28 GPF / 0.9 GPF

EP WASHLET+ with S550e



CWT4283046CMFG#MS

1.28 GPF / 0.9 GPF

EP WASHLET+ with S500e



CWT4283084CMFG#MS

1.28 GPF / 0.9 GPF

EP WASHLET+ with C5



CWT4283074CMFG#MS

1.28 GPF / 0.9 GPF

EP WASHLET+ with C2



*Requires In-Wall Tank System and Push Plate

WASHLET®+ WALL-HUNG COMPONENTS

**DUOFIT® IN-WALL
TANK SYSTEM - 1.28/0.9 GPF**
WT172M (Exposed Water Outlet)
WT173M(A) (Hidden Water Outlet)

2" x 6" installation
2" x 4" outlet kit available
Push plates sold separately



**PUSH PLATE
YT920#MS**

Matte Silver



**PUSH PLATE
YT920#WH**

White Matte



**PUSH PLATE
YT930#MS**

Matte Silver



**PUSH PLATE
YT930#WH**

White Matte



**PUSH PLATE
YT970#SS**

Stainless Steel



**PUSH PLATE
YT980#SS**

Stainless Steel





SP WASHLET+ SX
WALL-HUNG TOILET

WASHLET®+ WALL-HUNG TOILETS

RP WASHLET+



CWT4474047CMFG(A)#MS

1.28 GPF / 0.9 GPF

RP WASHLET+ with RX



CWT4474547CMFG(A)#MS

1.28 GPF / 0.9 GPF

RP WASHLET+ with RW



*Requires WT173M(A) In-Wall Tank System and Push Plate

SP WASHLET+



CWT4494049CMFG(A)#MS

1.28 GPF / 0.9 GPF

SP WASHLET+ with SX



CWT4494549CMFG(A)#MS

1.28 GPF / 0.9 GPF

SP WASHLET+ with SW



*Requires WT173M(A) In-Wall Tank System and Push Plate

MH® WASHLET+



◆ **CWT4372047MFG#MS**

1.28 GPF / 0.9 GPF

MH WASHLET+ with C200



*Requires WT172M In-Wall Tank System and Push Plate

WASHLET®+ WALL-HUNG COMPONENTS

**DUOFIT® IN-WALL
TANK SYSTEM - 1.28/0.9 GPF**
WT172M (Exposed Water Outlet)
WT173M(A) (Hidden Water Outlet)

2' x 6" installation
2' x 4" outlet kit available
Push plates sold separately



**PUSH PLATE
YT920#MS**

Matte Silver




**PUSH PLATE
YT930#MS**

Matte Silver



**PUSH PLATE
YT970#SS**

Stainless Steel



**PUSH PLATE
YT920#WH**

White Matte



**PUSH PLATE
YT930#WH**

White Matte



**PUSH PLATE
YT980#SS**

Stainless Steel



◆ Limited inventory

SCAN CODE NOW
FOR DIGITAL WASHLET+ BROCHURE



CATALOG.TOTOUSA.COM

TOTO USA, INC.
1155 SOUTHERN ROAD
MORROW, GA 30260
800-350-8686

www.totousa.com
www.washlet.com

#KO-082022-W+B
Printed in the U.S.A. 08/22